

Menesine ataskaita: 08.2020



	UAB Fortum Klaipeda						sugeneruota: 1.09.2020	
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc		
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.		
1.08	19.416	7.237	3.840	0.000	1.569	3.893		
2.08	18.176	7.192	2.553	0.000	0.911	3.846		
3.08	17.814	7.211	3.317	0.000	0.929	3.253		
4.08	18.594	7.241	3.384	0.000	0.806	3.786		
5.08	20.248	7.233	3.497	0.000	1.577	3.667		
6.08	19.546	7.238	8.824	0.009	1.646	3.126		
7.08	19.385	7.216	10.234	0.000	1.842	2.217		
8.08	18.332	7.230	1.713	2.840	1.621	1.603		
9.08	18.546	7.157	2.661	0.000	1.336	1.768		
10.08	X	X	X	X	X	X		
11.08	-	-	-	-	-	-		
12.08	-	-	-	-	-	-		
13.08	-	-	-	-	-	-		
14.08	-	-	-	-	-	-		
15.08	-	-	-	-	-	-		
16.08	-	-	-	-	-	-		
17.08	-	-	-	-	-	-		
18.08	-	-	-	-	-	-		
19.08	-	-	-	-	-	-		
20.08	-	-	-	-	-	-		
21.08	-	-	-	-	-	-		
22.08	-	-	-	-	-	-		
23.08	-	-	-	-	-	-		
24.08	-	-	-	-	-	-		
25.08	-	-	-	-	-	-		
26.08	-	-	-	-	-	-		
27.08	-	-	-	-	-	-		
28.08	-	-	-	-	-	-		
29.08	-	-	-	-	-	-		
30.08	-	-	-	-	-	-		
31.08	-	-	-	-	-	-		
min	17.814	7.157	1.713	0.000	0.806	1.603		
max	20.248	7.241	10.234	2.840	1.842	3.893		
MMV	18.845	7.215	4.813	0.316	1.378	3.009		
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down								

Menesine ataskaita: 08.2020



	UAB Fortum Klaipeda						sugeneruota: 1.09.2020
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.08	0.078	0.193	128.320	0.096	0.363	218193.31	
2.08	0.080	0.229	127.988	0.081	0.274	214638.56	
3.08	0.086	0.234	127.367	0.108	0.287	212638.01	
4.08	0.080	0.187	128.058	0.042	0.385	214877.00	
5.08	0.080	0.167	127.306	0.041	0.304	226183.31	
6.08	0.089	0.209	127.877	0.284	0.358	222705.92	
7.08	0.080	0.311	127.814	0.435	0.411	215896.75	
8.08	0.071	0.229	127.037	0.068	0.390	204243.56	
9.08	0.074	0.252	127.266	0.117	0.352	192866.32	
10.08	X	X	X	X	X	X	
11.08	-	-	-	-	-	-	
12.08	-	-	-	-	-	-	
13.08	-	-	-	-	-	-	
14.08	-	-	-	-	-	-	
15.08	-	-	-	-	-	-	
16.08	-	-	-	-	-	-	
17.08	-	-	-	-	-	-	
18.08	-	-	-	-	-	-	
19.08	-	-	-	-	-	-	
20.08	-	-	-	-	-	-	
21.08	-	-	-	-	-	-	
22.08	-	-	-	-	-	-	
23.08	-	-	-	-	-	-	
24.08	-	-	-	-	-	-	
25.08	-	-	-	-	-	-	
26.08	-	-	-	-	-	-	
27.08	-	-	-	-	-	-	
28.08	-	-	-	-	-	-	
29.08	-	-	-	-	-	-	
30.08	-	-	-	-	-	-	
31.08	-	-	-	-	-	-	
min	0.071	0.167	127.037	0.041	0.274	192866.32	
max	0.089	0.311	128.320	0.435	0.411	226183.31	
MMV	0.080	0.225	127.808	0.142	0.348	209019.03	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 08.2020



	UAB Fortum Klaipeda			sugeneruota: 1.09.2020		
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	KLAIP_L1 CO_10Min Day_Conc
Diena	°C	mbar	Vol%	mbar	°C	Nm3/h
1.08	141.038	1028.861	6.219	1013.787	1029.166	4.257
2.08	138.637	1027.528	6.356	1012.087	1054.990	2.839
3.08	138.013	1022.582	6.390	1008.288	1036.949	3.679
4.08	139.103	1022.203	6.341	1007.733	1051.604	3.759
5.08	142.740	1031.944	6.460	1016.402	1051.681	3.892
6.08	141.456	1038.913	6.726	1023.161	1054.404	9.946
7.08	141.332	1040.390	6.940	1024.868	1070.739	11.503
8.08	138.467	1037.342	6.622	1021.614	1093.397	1.904
9.08	138.361	1033.365	6.630	1018.106	1048.895	2.952
10.08	X	X	X	X	X	X
11.08	-	-	-	-	-	-
12.08	-	-	-	-	-	-
13.08	-	-	-	-	-	-
14.08	-	-	-	-	-	-
15.08	-	-	-	-	-	-
16.08	-	-	-	-	-	-
17.08	-	-	-	-	-	-
18.08	-	-	-	-	-	-
19.08	-	-	-	-	-	-
20.08	-	-	-	-	-	-
21.08	-	-	-	-	-	-
22.08	-	-	-	-	-	-
23.08	-	-	-	-	-	-
24.08	-	-	-	-	-	-
25.08	-	-	-	-	-	-
26.08	-	-	-	-	-	-
27.08	-	-	-	-	-	-
28.08	-	-	-	-	-	-
29.08	-	-	-	-	-	-
30.08	-	-	-	-	-	-
31.08	-	-	-	-	-	-
min	138.013	1022.203	6.219	1007.733	1029.166	1.904
max	142.740	1040.390	6.940	1024.868	1093.397	11.503
MMV	139.817	1031.422	6.821	1016.248	1053.804	5.162
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						

Menesine ataskaita: 08.2020



	UAB Fortum Klaipeda						sugeneruota: 1.09.2020
	KLAIP_L1 SO2_97% Day_Conc	KLAIP_L1 HCL_97% Day_Conc	KLAIP_L1 HF_97% Day_Conc	KLAIP_L1 NOx_97% Day_Conc	KLAIP_L1 TOC_97% Day_Conc	KLAIP_L1 DULKES_97% Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.08	0.000	6.489	0.129	160.400	0.137	0.519	
2.08	0.000	6.411	0.133	159.985	0.116	0.392	
3.08	0.000	5.421	0.143	159.209	0.155	0.409	
4.08	0.000	6.310	0.133	160.072	0.060	0.550	
5.08	0.000	6.112	0.133	159.132	0.058	0.435	
6.08	0.011	5.211	0.148	159.847	0.405	0.511	
7.08	0.000	3.695	0.133	159.768	0.621	0.587	
8.08	3.549	2.672	0.119	158.796	0.097	0.557	
9.08	0.000	2.947	0.123	159.083	0.166	0.502	
10.08	X	X	X	X	X	X	
11.08	-	-	-	-	-	-	
12.08	-	-	-	-	-	-	
13.08	-	-	-	-	-	-	
14.08	-	-	-	-	-	-	
15.08	-	-	-	-	-	-	
16.08	-	-	-	-	-	-	
17.08	-	-	-	-	-	-	
18.08	-	-	-	-	-	-	
19.08	-	-	-	-	-	-	
20.08	-	-	-	-	-	-	
21.08	-	-	-	-	-	-	
22.08	-	-	-	-	-	-	
23.08	-	-	-	-	-	-	
24.08	-	-	-	-	-	-	
25.08	-	-	-	-	-	-	
26.08	-	-	-	-	-	-	
27.08	-	-	-	-	-	-	
28.08	-	-	-	-	-	-	
29.08	-	-	-	-	-	-	
30.08	-	-	-	-	-	-	
31.08	-	-	-	-	-	-	
min	0.000	2.672	0.119	158.796	0.058	0.392	
max	3.549	6.489	0.148	160.400	0.621	0.587	
MMV	0.395	5.016	0.133	159.760	0.203	0.497	
- = Out of op < = <2/3 M = Maintenance D = >DLV X = no daily classing S = Fault A = Start-up/shut down N = No Data							