

# Menesine ataskaita: 09.2022



	UAB Fortum Klaipeda						sugeneruota: 30.09.2022
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.09	17.669	7.434	3.280	0.000	0.244	4.800	
2.09	16.485	7.463	5.552	0.016	0.214	4.595	
3.09	17.967	7.400	3.800	0.000	0.282	4.798	
4.09	19.322	7.387	3.337	0.000	0.358	4.815	
5.09	17.858	7.402	2.622	0.000	0.260	4.436	
6.09	15.900	7.467	3.649	0.000	0.152	4.365	
7.09	16.809	7.407	3.062	0.020	0.142	4.660	
8.09	15.738	7.401	2.845	0.068	0.141	4.462	
9.09	16.081	7.395	4.195	0.011	0.136	4.704	
10.09	16.955	7.392	3.996	0.008	0.151	4.917	
11.09	17.511	7.371	3.485	0.011	0.178	5.039	
12.09	18.243	7.377	3.556	0.007	0.216	5.021	
13.09	15.935	7.429	5.143	0.005	0.242	4.588	
14.09	17.056	7.387	4.656	0.008	0.298	4.827	
15.09	17.130	7.355	3.909	0.006	0.249	5.020	
16.09	17.503	7.393	4.845	0.003	0.256	4.952	
17.09	16.719	7.376	4.012	0.006	0.261	4.725	
18.09	18.203	7.395	3.845	0.001	0.350	4.809	
19.09	17.866	7.385	3.801	0.001	0.347	4.496	
20.09	17.822	7.409	4.316	0.000	0.325	4.610	
21.09	18.882	7.418	3.609	0.000	0.415	4.359	
22.09	18.641	7.431	3.494	0.000	0.351	4.144	
23.09	18.082	7.493	4.015	0.010	0.200	4.703	
24.09	17.708	7.426	3.691	0.010	0.306	4.640	
25.09	18.200	7.338	3.505	0.007	0.404	4.537	
26.09	19.198	7.304	3.244	0.009	0.567	4.414	
27.09	16.928	7.380	5.174	0.007	0.301	4.155	
28.09	17.846	7.414	4.325	0.007	0.454	4.421	
29.09	16.936	7.478	4.183	0.006	0.320	4.399	
min	15.738	7.304	2.622	0.000	0.136	4.144	
max	19.322	7.493	5.552	0.068	0.567	5.039	
MMV	17.488	7.404	3.902	0.008	0.280	4.635	
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down							

# Menesine ataskaita: 09.2022



	UAB Fortum Klaipeda						sugeneruota: 30.09.2022
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.09	0.041	0.095	143.535	0.121	0.187	218837.32	
2.09	0.041	0.040	142.924	0.019	0.184	213364.35	
3.09	0.035	0.095	143.839	0.096	0.179	219378.98	
4.09	0.033	0.126	143.463	0.145	0.406	223625.79	
5.09	0.033	0.073	143.416	0.072	X	218900.12	
6.09	0.031	0.009	143.624	0.007	0.250	213465.17	
7.09	0.037	0.044	143.292	0.025	0.252	216827.79	
8.09	0.038	0.032	142.209	0.023	0.255	212007.29	
9.09	0.037	0.020	141.045	0.031	0.214	211684.73	
10.09	0.036	0.046	143.995	0.055	0.255	214161.76	
11.09	0.037	0.086	143.454	0.084	0.191	216522.60	
12.09	0.041	0.140	143.664	0.126	0.175	219260.75	
13.09	0.038	0.064	143.648	0.031	0.280	214687.37	
14.09	0.051	0.069	143.716	0.197	0.225	217957.01	
15.09	0.059	0.056	143.726	0.215	0.342	217720.04	
16.09	0.059	0.050	143.908	0.181	0.207	216644.31	
17.09	0.059	0.053	143.652	0.178	0.190	215014.20	
18.09	0.054	0.098	143.875	0.234	0.190	220112.14	
19.09	0.049	0.094	143.823	0.151	0.241	218272.29	
20.09	0.040	0.124	143.801	0.159	0.237	219084.82	
21.09	0.041	0.141	143.802	0.118	0.234	221376.73	
22.09	0.042	0.163	143.784	0.153	0.198	218911.64	
23.09	0.050	0.136	143.293	0.115	0.157	219659.73	
24.09	0.047	0.125	143.938	0.185	0.216	220436.62	
25.09	0.044	0.114	143.612	0.216	0.217	221776.32	
26.09	0.029	0.006	143.639	0.008	0.170	223908.20	
27.09	0.028	0.001	143.362	0.008	0.169	216576.89	
28.09	0.027	0.001	143.804	0.001	0.248	217406.31	
29.09	0.026	0.000	143.879	0.002	0.220	217420.45	
min	0.026	0.000	141.045	0.001	0.157	211684.73	
max	0.059	0.163	143.995	0.234	0.406	223908.20	
MMV	0.041	0.072	143.507	0.102	0.240	217758.67	
- = Out of op < = <2/3 M = Maintenance D = >DLV X = no daily classing S = Fault A = Start-up/shut down N = No Data							

# Menesine ataskaita: 09.2022



	UAB Fortum Klaipeda			sugeneruota: 30.09.2022		
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	KLAIP_L1 CO_10Min Day_Conc
Diena	°C	mbar	Vol%	mbar	°C	Nm3/h
1.09	134.198	1036.071	6.357	1018.908	1082.549	3.639
2.09	132.445	1038.307	6.537	1020.460	1024.501	6.164
3.09	136.968	1039.575	6.300	1022.538	1055.339	4.234
4.09	140.186	1042.511	6.032	1025.121	1080.257	3.707
5.09	137.149	1045.054	6.397	1027.742	1100.762	2.914
6.09	132.089	1041.739	6.675	1024.467	1025.428	4.061
7.09	133.517	1037.001	6.450	1018.867	1050.403	3.399
8.09	133.086	1035.625	6.663	1018.653	1060.781	3.162
9.09	133.545	1034.610	6.532	1017.317	1029.492	4.668
10.09	135.037	1032.633	6.357	1014.544	1013.773	4.452
11.09	136.449	1026.838	6.283	1009.796	1038.750	3.875
12.09	138.306	1029.010	6.224	1011.462	1062.516	3.947
13.09	133.882	1025.033	6.724	1007.139	1025.353	5.716
14.09	136.308	1015.157	6.385	997.160	1049.078	5.178
15.09	135.996	1010.642	6.407	993.511	1047.332	4.343
16.09	136.496	1008.302	6.333	991.674	1040.164	5.403
17.09	135.154	1012.229	6.468	994.398	1027.487	4.451
18.09	138.318	1016.280	6.214	998.333	1037.579	4.273
19.09	137.613	1017.544	6.268	1000.452	1035.049	4.230
20.09	136.342	1026.324	6.267	1008.969	1027.662	4.793
21.09	137.000	1034.851	6.092	1017.780	1048.241	4.011
22.09	135.893	1037.318	6.179	1019.781	1037.556	3.904
23.09	135.050	1034.631	6.278	1016.659	1041.072	4.463
24.09	135.730	1032.168	6.287	1013.915	1034.293	4.103
25.09	136.667	1029.257	6.262	1011.096	1049.465	3.895
26.09	138.864	1021.460	6.088	1003.849	1066.209	3.615
27.09	134.368	1017.916	6.442	1000.442	1052.252	5.767
28.09	135.254	1013.673	6.294	997.170	1016.555	4.797
29.09	133.592	1016.931	6.432	998.851	1026.821	4.651
min	132.089	1008.302	6.032	991.674	1013.773	2.914
max	140.186	1045.054	6.724	1027.742	1100.762	6.164
MMV	135.707	1027.886	6.353	1010.382	1044.369	4.339
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down						

# Menesine ataskaita: 09.2022



	UAB Fortum Klaipeda sugeneruota: 30.09.2022					
	KLAIP_L1 SO2_97% Day_Conc	KLAIP_L1 HCL_97% Day_Conc	KLAIP_L1 HF_97% Day_Conc	KLAIP_L1 NOx_97% Day_Conc	KLAIP_L1 TOC_97% Day_Conc	KLAIP_L1 DULKES_97% Day_Conc
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.
1.09	0.000	8.000	0.069	179.419	0.173	0.267
2.09	0.019	7.659	0.068	178.655	0.027	0.263
3.09	0.000	7.997	0.059	179.798	0.137	0.255
4.09	0.000	8.025	0.055	179.329	0.207	0.580
5.09	0.000	7.393	0.055	179.271	0.103	X
6.09	0.000	7.275	0.051	179.530	0.009	0.357
7.09	0.025	7.767	0.062	179.115	0.036	0.360
8.09	0.085	7.437	0.063	177.761	0.033	0.364
9.09	0.013	7.840	0.062	176.306	0.044	0.305
10.09	0.010	8.195	0.061	179.994	0.078	0.365
11.09	0.013	8.399	0.062	179.317	0.120	0.272
12.09	0.008	8.368	0.068	179.580	0.179	0.251
13.09	0.006	7.646	0.064	179.560	0.045	0.400
14.09	0.010	8.045	0.085	179.645	0.281	0.321
15.09	0.008	8.366	0.098	179.657	0.307	0.488
16.09	0.003	8.254	0.099	179.885	0.259	0.295
17.09	0.008	7.875	0.098	179.565	0.255	0.271
18.09	0.002	8.015	0.090	179.844	0.334	0.272
19.09	0.001	7.493	0.081	179.779	0.216	0.344
20.09	0.001	7.683	0.067	179.751	0.227	0.338
21.09	0.000	7.264	0.068	179.753	0.169	0.334
22.09	0.000	6.906	0.070	179.730	0.219	0.284
23.09	0.013	7.838	0.083	179.116	0.165	0.224
24.09	0.012	7.734	0.078	179.922	0.264	0.309
25.09	0.009	7.562	0.074	179.515	0.308	0.310
26.09	0.011	7.357	0.048	179.549	0.012	0.243
27.09	0.009	6.925	0.046	179.202	0.012	0.241
28.09	0.009	7.369	0.045	179.755	0.002	0.354
29.09	0.007	7.331	0.043	179.849	0.002	0.314
min	0.000	6.906	0.043	176.306	0.002	0.224
max	0.085	8.399	0.099	179.994	0.334	0.580
MMV	0.010	7.725	0.068	179.384	0.146	0.343
- = Out of op < = <2/3      X = no daily classing      N = No Data M = Maintenance                      S = Fault D = >DLV                                  A = Start-up/shut down						